

TITLE: Preparation of pyrazoles and analogs as PPAR modulators for treatment of metabolic disorders, diabetes mellitus, atherosclerosis, and cardiovascular disorders

INVENTOR(S): Conner, Scott Eugene; Ma, Tianwei; Mantlo, Nathan Bryan; Mayhugh, Daniel Ray; Schkeryantz, Jeffrey Michael; Warshawsky, Alan M.; Zhu, Guoxin

PATENT ASSIGNEE(S): Eli Lilly and Company, USA

SOURCE: PCT Int. Appl., 214 pp.
CODEN: PIXXD2



DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------------------|--|----------|-----------------|------------|
| WO 2004063166 | A1 | 20040729 | WO 2003-US39119 | 20031231 |
| W: | AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW | | | |
| RW: | BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG | | | |
| AU 2003296404 | A1 | 20040810 | AU 2003-296404 | 20031231 |
| EP 1585733 | A1 | 20051019 | EP 2003-815195 | 20031231 |
| R: | AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, BG, CZ, EE, HU, SK | | | |
| US 20060241157 | A1 | 20061026 | US 2005-540341 | 20050621 |
| PRIORITY APPLN. INFO.: | | | US 2003-438563P | P 20030106 |
| | | | WO 2003-US39119 | W 20031231 |
| OTHER SOURCE(S): | MARPAT 141:157111 | | | |
| GI | | | | |




AB Title pyrazoles, imidazoles, and (is)oxazoles I [wherein R1 = H, (un)substituted alkyl, alkenyl, (hetero)aryl(alkyl), arylheteroalkyl, cycloalkylaryl(alkyl); R2 = absent, (hetero)alkyl; R8 = H, alkyl, alkylenyl, halo; R9 = H, (un)substituted alkyl, alkylenyl, halo, aryl(alkyl), heteroaryl, allyl, alkoxy, alkylthio, etc.; R10, R11 = independently H, OH, CN, NO2, halo, oxo, (un)substituted (halo)alkyl, alkoxy, cycloalkyl, (hetero)aryl(alkyl), cycloalkylaryl(alkyl), aryloxy, acyl, carboxy, amino, sulfamoyl, etc.; R32 = bond, H, halo, (halo)alkyl, alkyloxy; E = (un)substituted carboxy(methyl), tetrazolyl(methyl), nitriloalkyl, carboxamido(methyl), sulfonamido(methyl); U = (un)substituted aliphatic linker wherein one C of the linker is optionally replaced with O, NH, or S; X = bond, O, S, SO2, NH; Y = bond, CH2, NH; Z1, Z2 = independently N, O, C, with the proviso that at least one of Z1 and Z2 = N; Z3 = N, O, C; or stereoisomers, pharmaceutically acceptable salts, solvates, and hydrates thereof] were prepared as peroxisome proliferator activated receptor (PPAR) modulators (no data). For example, chlorination of [3-methyl-1-(4-trifluoromethylphenyl)-1H-pyrazol-4-yl]methanol with MeSO2Cl and TEA in CH2Cl2, followed by coupling with (4-hydroxy-2-methylphenoxy)acetic acid Me ester using Cs2CO3 in acetonitrile and saponification with NaOH in MeOH provided II. I and their pharmaceutical compns. are expected to be effective in treating and preventing metabolic disorders, diabetes mellitus, atherosclerosis, and cardiovascular disorders (no data).

IT 728913-16-4P, 2-Methyl-2-[4-[2-[3-methyl-1-(4-trifluoromethylphenyl)-1H-pyrazol-4-yl]propyl]phenoxy]propionic acid
 728914-84-9P, [4-[2-[3-Methyl-1-(4-trifluoromethylphenyl)-1H-pyrazol-4-yl]ethyl]phenoxy]acetic acid 728914-85-0P,
 2-Methyl-2-[4-[2-[3-methyl-1-(4-trifluoromethylphenyl)-1H-pyrazol-4-yl]ethyl]phenoxy]propionic acid 728914-86-1P,
 [4-[2-[3-Methyl-1-(4-trifluoromethylphenyl)-1H-pyrazol-4-yl]propyl]phenoxy]acetic acid
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (PPAR modulator; preparation of pyrazoles and analogs as PPAR modulators for treatment of metabolic disorders, diabetes, atherosclerosis, and cardiovascular disorders)


RN 728913-16-4 CAPLUS
 CN Propanoic acid, 2-methyl-2-[4-[2-[3-methyl-1-[4-(trifluoromethyl)phenyl]-1H-pyrazol-4-yl]propyl]phenoxy]- (CA INDEX NAME)

PAGE 1-A







RN 728914-84-9 CAPLUS
 CN Acetic acid, 2-[4-[2-[3-methyl-1-[4-(trifluoromethyl)phenyl]-1H-pyrazol-4-yl]ethyl]phenoxy]- (CA INDEX NAME)



RN 728914-85-0 CAPLUS
 CN Propanoic acid, 2-methyl-2-[4-[2-[3-methyl-1-[4-(trifluoromethyl)phenyl]-1H-pyrazol-4-yl]ethyl]phenoxy]- (CA INDEX NAME)



RN 728914-86-1 CAPLUS
 CN Acetic acid, 2-[4-[2-[3-methyl-1-[4-(trifluoromethyl)phenyl]-1H-pyrazol-4-yl]propyl]phenoxy]- (CA INDEX NAME)




IT 728914-90-7P, [4-[2-[3-Methyl-1-(4-trifluoromethylphenyl)-1H-pyrazol-4-yl]propyl]phenoxy]acetic acid methyl ester
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(intermediate; preparation of pyrazoles and analogs as PPAR modulators for treatment of metabolic disorders, diabetes, atherosclerosis, and cardiovascular disorders)

RN 728914-90-7 CAPLUS

CN Acetic acid, 2-[4-[2-[3-methyl-1-[4-(trifluoromethyl)phenyl]-1H-pyrazol-4-yl]propyl]phenoxy]-, methyl ester (CA INDEX NAME)

PAGE 1-A



PAGE 2-A

